

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 27.01.2026

Version number 7 (replaces version 6)

Revision: 27.01.2026

*** SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name:** PENESEAL PRO® RTU**UFI:** MS80-V0QX-A00K-9T8W**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

Application of the substance / the mixture: Reactive penetrating concrete waterproof & sealer**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

PENETRON HELLAS S.A.

50, THRAKOMAKEDONON AV., 136 79 ACHARNES, GREECE

TEL.: +30 210 2448250 - FAX: + 30 210 2476803

Email: info@penetron.gr Site: www.penetron.gr

G.E.MI. No: 07278001000

1.4 Emergency telephone number:

Emergency telephone number: 112

*** SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation EC No 1272/2008 CLP:**

GHS05 corrosion

Skin Corr. 1 H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements**Labelling according to Regulation EC No 1272/2008 CLP:**

The product is classified and labelled according to the CLP regulation.

Hazard pictograms:

GHS05

Signal word: Danger**Hazard statements:**

H314 Causes severe skin burns and eye damage.

Precautionary statements:

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

(Contd. on page 2)

EN

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 27.01.2026

Version number 7 (replaces version 6)

Revision: 27.01.2026

Trade name: PENESEAL PRO® RTU

(Contd. of page 1)

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards**Results of PBT and vPvB assessment**

The product does not contain ingredients that are considered either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

PBT: Not applicable

vPvB: Not applicable

Determination of endocrine-disrupting properties

The product does not contain substances included in the list established in accordance with Article 59(1) of REACH for endocrine disrupting properties or has not been identified as having endocrine disrupting properties according to the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or higher than 0.1%.

* **SECTION 3: Composition/information on ingredients****3.2 Mixtures**

Description: Mixture: consisting of the following components.

Ingredients according Regulation (EU) 2020/878:

CAS: 1344-09-8	Silicic acid, sodium salt (MR>3.2_lumps)	20-45%
EINECS: 215-687-4		
Reg.nr.: 01-2119448725-31-0066		

SVHC

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No 1907/2006 (REACH), Article 59)

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures****General information:**

Take affected persons out into the fresh air.

Seek immediate medical advice.

After inhalation:

Supply fresh air and for certainty contact a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Remove contaminated clothing.

Immediately wash with water and soap and rinse thoroughly.

Get medical attention if symptoms occur.

(Contd. on page 3)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 27.01.2026

Version number 7 (replaces version 6)

Revision: 27.01.2026

Trade name: PENESEAL PRO® RTU

(Contd. of page 2)

After eye contact:

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses.

Continue to rinse for at least 10 minutes.

Get medical attention if irritation occurs.

After swallowing:

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Consult the doctor immediately and show the label or this Safety Data Sheet.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing agents:** CO₂, powder or water spray.**5.2 Special hazards arising from the substance or mixture** No further relevant information available.**5.3 Advice for firefighters****Protective equipment:** Self-contained breathing apparatus and protective clothing in case of fire.**Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Avoid inhalation of vapors.

Avoid contact with skin and eyes.

6.1.1 For non-emergency personnel Avoid contact with dripping or leaking material.**6.1.2 For emergency responders**

First-aid responders must wear protective clothing, gloves, goggles and respiratory device with filter type A.

6.2 Environmental precautions:

Do not allow it to enter sewers/ surface or ground water. It must not penetrate the earth's waters.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Avoid contact with skin and eyes.

Ensure adequate ventilation.

Avoid inhaling vapors.

(Contd. on page 4)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 27.01.2026

Version number 7 (replaces version 6)

Revision: 27.01.2026

Trade name: PENESEAL PRO® RTU

(Contd. of page 3)

Do not eat, drink or smoke when using this product.

Wash contaminated clothes before reusing them.

Wash your hands thoroughly after handling.

Information about fire - and explosion protection: No special measures required.**7.2 Conditions for safe storage, including any incompatibilities****Storage:** Store in tightly closed containers, in a cool and dry place with good ventilation.**Requirements to be met by storerooms and receptacles:**

Store only in the original receptacle.

Store in a cool location.

Information about storage in one common storage facility: Not required**Further information about storage conditions:**

Keep container tightly sealed.

Store locked up

Keep out of the reach of children.

7.3 Specific end use(s) No further relevant information available.*** SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs

(CAS: 1344-09-8) Silicic acid, sodium salt (MR>3.2_lumps)

DNEL of workers, long-term systemic exposure

dermal exposure: 1.59 mg/kg bw/d

by inhalation: 5.61 mg/m³

DNEL for consumers, long-term systemic exposure

oral: 0.8 mg/kg bw/d

inhalation: 1.38 mg/m³

dermal: 0.8 mg/kg bw/d

PNECs

(CAS: 1344-09-8) Silicic acid, sodium salt (MR>3.2_lumps)

Fresh water: 7.5 mg/L

Fresh water (intermittent releases): 7.5 mg/L

Marine water: 1 mg/L

STP: 348 mg/L

8.2 Exposure controls**8.2.1. Appropriate engineering controls** Provide adequate ventilation.**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

Avoid contact with the eyes and skin.

Remove contaminated clothes and wash before reusing them.

Do not breathe vapours or mists.

Keep away from food, beverages and pet food.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke while using the product.

(Contd. on page 5)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 27.01.2026

Version number 7 (replaces version 6)

Revision: 27.01.2026

Trade name: PENESEAL PRO® RTU

(Contd. of page 4)

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection

Suitable chemical resistant safety gloves (EN 374)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material should be made considering the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material. Further marks of quality vary from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to application.

Penetration time of glove material

The breakthrough times according to EN 374 Part III do not always apply under real conditions. A maximum usage time corresponding to 50% of the breakthrough time is recommended.

Eye/face protection

Tightly sealed goggles (EN 166).

Body protection:

Protective work clothing

* **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties**General Information**

Physical state	Liquid
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and boiling range	Not specified
Flammability	Not applicable
Lower and upper explosion limit	
Lower:	Not determined
Upper:	Not determined
Flash point:	Not Flammable
Auto-ignition temperature:	Not specified

(Contd. on page 6)

EN

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 27.01.2026

Version number 7 (replaces version 6)

Revision: 27.01.2026

Trade name: PENESEAL PRO® RTU

(Contd. of page 5)

Decomposition temperature:	Not determined
pH at 20 °C	11-12
Viscosity:	
Kinematic viscosity	Not determined
Dynamic:	Not determined
Solubility	
water:	Not determined
Partition coefficient n-octanol/water (log value)	Not determined
Vapour pressure:	Not determined
Density and/or relative density	
Density:	Not determined
Relative density at 20 °C	1.24+/-0.02 kg/l
Vapour density	Not determined

9.2 Other information**Appearance:****Form:** Liquid**Important information on protection of health and environment, and on safety.**

Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	Not applicable
Fusion temperature / range:	Not applicable
Oxidising properties	Not oxidising
Evaporation rate	Not determined

Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity**10.1 Reactivity** No further relevant information available.**10.2 Chemical stability****Thermal decomposition / conditions to be avoided** Stable at environment temperature.

(Contd. on page 7)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 27.01.2026

Version number 7 (replaces version 6)

Revision: 27.01.2026

Trade name: PENESEAL PRO® RTU

(Contd. of page 6)

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid

Heat, flames and other sources of ignition.

Humidity

10.5 Incompatible materials Ammonium salts, aluminium, tin, lead, zinc

10.6 Hazardous decomposition products

Carbon monoxide (CO)

Carbon dioxide (CO₂)

Ammonia (NH₃)

Hydrogen

* **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

(CAS: 1344-09-8) Pyruvic acid, sodium salt

Oral: LD50 (rat): 3400 mg/kg bw

Inhalation: LC50 (rat): > 2,06 g/m³

Skin: LD50 (rat): > 5000 mg/kg bw

Specific symptoms in biological assay:

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:

Repeated dose toxicity Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

The product does not contain substances included in the list established in accordance with Article 59(1) of REACH for endocrine disrupting properties or has not been identified as having endocrine disrupting properties according to the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or higher than 0.1%.

None of the ingredients is listed.

* **SECTION 12: Ecological information**

12.1 Toxicity

Aquatic toxicity:

(CAS: 1344-09-8) Silicic acid, sodium salt

Toxicity to fish:

Danio rerio LC50 = 1108 mg/l (Na, RM 3.46)

Exposure time: 96 hours

Toxicity to daphnia and other aquatic molluscs:

EC50 (Daphnia magna (Water flea)): 1700 mg/l (Na, RM 3.2)

Exposure time: 48 hours

(Contd. on page 8)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 27.01.2026

Version number 7 (replaces version 6)

Revision: 27.01.2026

Trade name: PENESEAL PRO® RTU

(Contd. of page 7)

Toxicity to algae/aquatic plants:
 EC50 Scenedesmus subspicatus EbC50: 207 mg/l
 ErC50 > 345 mg/l (Na, RM 3.0)
 Exposure time: 72 hours

12.2 Persistence and degradability No further relevant information available.**12.3 Bioaccumulative potential** No further relevant information available.**12.4 Mobility in soil** No further relevant information available.**12.5 Results of PBT and vPvB assessment**

The product does not contain ingredients that are considered to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative at levels of 0.1% or higher according to REACH, Annex XIII.

PBT: Not applicable**vPvB:** Not applicable**12.6 Endocrine disrupting properties**

The product does not contain substances included in the list established in accordance with Article 59(1) of REACH for endocrine disrupting properties or has not been identified as having endocrine disrupting properties according to the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or higher than 0.1%.

12.7 Other adverse effects

The product does not contain substances listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.


Additional ecological information:**General notes:**

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

*** SECTION 13: Disposal considerations****13.1 Waste treatment methods****Recommendation**

Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

European waste catalogue HP8 Corrosive

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information**14.1 UN number or ID number**

ADR, IMDG, IATA

UN1760

14.2 UN proper shipping name

ADR

UN1760 CORROSIVE LIQUID, N.O.S.

(Contd. on page 9)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 27.01.2026

Version number 7 (replaces version 6)

Revision: 27.01.2026

Trade name: PENESEAL PRO® RTU

(Contd. of page 8)

IMDG, IATA

CORROSIVE LIQUID, N.O.S.

14.3 Transport hazard class(es)**ADR, IMDG, IATA****Class**

8 Corrosive substances.

Label

8

14.4 Packing group**ADR, IMDG, IATA**

III

14.5 Environmental hazards:

Not applicable

14.6 Special precautions for user

Warning: Corrosive substances.

Hazard identification number (Kemler code):

80

EMS Number:

F-A,S-B

Stowage Category

A

Stowage Code

SW2 Clear of living quarters.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable

Transport/Additional information:**ADR****Limited quantities (LQ)**

5L



Limited Quantity Marking.

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

Transport category

3

Tunnel restriction code

E

IMDG**Limited quantities (LQ)**

5L



Limited Quantity Marking.

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation":

UN 1760 CORROSIVE LIQUID, N.O.S. 8, III

* **SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

(Contd. on page 10)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 27.01.2026

Version number 7 (replaces version 6)

Revision: 27.01.2026

Trade name: PENESEAL PRO® RTU

(Contd. of page 9)

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as amended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as amended
REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations: None

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

*** SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Training hints

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
Serious eye damage/irritation	

Department issuing SDS:

SUSTCHEM CONSULTING SUSTCHEM S.A.
 REACH & Chemical Services Department
 A: 144, 3rd Septemvriou, GR 112 51 | Athens, Greece
 T: +30 210 8252510 | F: +30 210 8252575
 W: www.sustchem.gr | E: info@sustchem.gr

Date of previous version: 10.04.2024

(Contd. on page 11)

EN

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 27.01.2026

Version number 7 (replaces version 6)

Revision: 27.01.2026

Trade name: PENESEAL PRO® RTU

(Contd. of page 10)

Version number of previous version: 6**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Skin Corr. 1: Skin corrosion/irritation – Category 1

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

EN