

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 13.07.2023

Version number 1

Revision: 13.07.2023

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name:** KLB-SYSTEM PU-BETON 4006 Component C**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the mixture:**

Coating

Sealing

**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

PENETRON HELLAS S.A. G.E.MH. No: 07278001000

50, THRAKOMAKEDONON AV., 136 79 ACHARNES, GREECE

TEL.: +30 210 2448250 - FAX: + 30 210 2476803

Email: info@penetron.gr Site: www.penetron.gr

**1.4 Emergency telephone number:**

European Emergency Tel.: 112

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation EC No 1272/2008 CLP:**

GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

**2.2 Label elements****Labelling according to Regulation EC No 1272/2008 CLP:**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms:**

GHS05 GHS07

**Signal word:** Danger

(Contd. on page 2)

EN

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 13.07.2023

Version number 1

Revision: 13.07.2023

**Trade name:** KLB-SYSTEM PU-BETON 4006 Component C

(Contd. of page 1)

**Hazard-determining components of labelling:**

Cement Portland

**Hazard statements:**

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

**Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Additional information:**

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

**Information concerning particular hazards for human and environment:**

Skin contact with wet cement, fresh concrete or mortar may cause irritation, dermatitis or burns

May cause damage to products made of aluminium or other non-noble metals.

**2.3 Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****3.2 Mixtures****Description:** Mixture: consisting of the following components.**Ingredients according Regulation (EU) 2020/878:**

CAS: 65997-15-1	Cement Portland	10-25%
EINECS: 266-043-4	☞ Eye Dam. 1, H318; ☞ Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	

**Additional information:** For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****4.1 Description of first aid measures****General information:** Seek immediate medical advice.**After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

**After skin contact:**

Remove contaminated clothing.

Immediately wash with water and soap and rinse thoroughly.

In case of discomfort, consult a doctor.

**After eye contact:**

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses.

Continue to rinse for 15 minutes.

(Contd. on page 3)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 13.07.2023

Version number 1

Revision: 13.07.2023

**Trade name:** KLB-SYSTEM PU-BETON 4006 Component C

(Contd. of page 2)

Get medical attention if irritation occurs.

Avoid strong water jet-risk of cornea damage, consult a doctor.

**After swallowing:**

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Consult the doctor immediately and show the label or this Safety Data Sheet.

Never give anything by mouth to an unconscious person.

**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing agents:**

CO<sub>2</sub>, sand, extinguishing powder. Do not use water.

**For safety reasons unsuitable extinguishing agents:** Water

**5.2 Special hazards arising from the substance or mixture** No further relevant information available.

**5.3 Advice for firefighters****Protective equipment:**

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

**Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Keep unprotected persons away.

Avoid contact with eyes.

Avoid inhalation of dust.

Ensure adequate ventilation.

**6.1.1 For non-emergency personnel** Avoid contact with dripping or leaking material

**6.1.2 For emergency responders**

First-aid responders must wear protective clothing, gloves, goggles and respiratory device with filter type A.

**6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

**6.3 Methods and material for containment and cleaning up:**

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

**6.4 Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Prevent formation of dust.

(Contd. on page 4)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 13.07.2023

Version number 1

Revision: 13.07.2023

**Trade name:** KLB-SYSTEM PU-BETON 4006 Component C

(Contd. of page 3)

Avoid contact with skin, eyes and clothing.

Ensure good ventilation.

Do not eat, drink or smoke when using this product.

Wash contaminated clothes before reusing them.

Wash your hands and face after using the product.

**Information about fire - and explosion protection:** No special measures required.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage:** Store in tightly closed containers, in a cool and dry place with good ventilation.

**Requirements to be met by storerooms and receptacles:** Store in a cool and dry place.

**Information about storage in one common storage facility:** Not required.

**Further information about storage conditions:**

Keep container tightly sealed.

Store away from water or moisture.

**7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

**Ingredients with limit values that require monitoring at the workplace:**

**CAS: 65997-15-1 Cement Portland**

WEL (Great Britain)	Long-term value: 10* 4** mg/m <sup>3</sup> *inhalable dust **respirable dust
---------------------	---

### 8.2 Exposure controls

#### 8.2.1. Appropriate engineering controls

Take appropriate protective measures with regard to the handling of chemicals and mixtures.

No other recommendations, see chapter 7.

#### Individual protection measures, such as personal protective equipment

##### General protective and hygienic measures:

Avoid contact with skin and eyes.

Do not eat, drink or smoke while using the product.

Remove contaminated clothes and wash before reusing them.

Avoid creating dust.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

##### Respiratory protection:



Use suitable respiratory protective device in case of insufficient ventilation.

##### Hand protection



Protective gloves resistant to chemicals (standard EN 374-1)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 13.07.2023

Version number 1

Revision: 13.07.2023

**Trade name:** KLB-SYSTEM PU-BETON 4006 Component C

(Contd. of page 4)

**Material of gloves**

Nitrile gloves

Thickness:  $\geq 0,15$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

**Eye/face protection**

Tightly sealed goggles (EN 166).

**Body protection:**

Protective work clothing

## SECTION 9: Physical and chemical properties

**9.1 Information on basic physical and chemical properties****General Information****Physical state**

Solid

**Colour:**

According to product specification

**Odour:**

Uncharacteristic.

**Odour threshold:**

Not determined

**Boiling point or initial boiling point and boiling range**

2,230 °C

**Flammability**

Not determined

**Lower and upper explosion limit****Lower:**

Not determined

**Upper:**

Not determined

**Flash point:**

Not Flammable

**Auto-ignition temperature:**

Not specified

**Decomposition temperature:**

Not determined

**pH**

Not applicable

**Viscosity:****Kinematic viscosity**

Not applicable

**Dynamic:**

Not applicable

**Solubility****water:**

Insoluble

**Partition coefficient n-octanol/water (log value)**

Not determined

**Vapour pressure:**

Not applicable

**Density and/or relative density****Density at 20 °C:**2.82 g/cm<sup>3</sup>**Relative density**

Not determined

(Contd. on page 6)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 13.07.2023

Version number 1

Revision: 13.07.2023

**Trade name:** KLB-SYSTEM PU-BETON 4006 Component C

(Contd. of page 5)

**Vapour density** Not applicable

**Particle characteristics**

See section 3.

## 9.2 Other information

**Appearance:**

**Form:**

Solid

**Important information on protection of health and environment, and on safety.**

**Ignition temperature:**

Product is not selfigniting.

**Explosive properties:**

Product does not present an explosion hazard.

**Solvent content:**

**Solids content:**

100.0 %

**Cloud point / clarification point:**

**Oxidising properties**

Not oxidising

**Evaporation rate**

Not applicable

### Information with regard to physical hazard classes

**Explosives** Void

**Flammable gases** Void

**Aerosols** Void

**Oxidising gases** Void

**Gases under pressure** Void

**Flammable liquids** Void

**Flammable solids** Void

**Self-reactive substances and mixtures** Void

**Pyrophoric liquids** Void

**Pyrophoric solids** Void

**Self-heating substances and mixtures** Void

**Substances and mixtures, which emit flammable gases in contact with water** Void

**Oxidising liquids** Void

**Oxidising solids** Void

**Organic peroxides** Void

**Corrosive to metals** Void

**Desensitised explosives** Void

## SECTION 10: Stability and reactivity

**10.1 Reactivity** Stable under normal conditions

**10.2 Chemical stability** Material is stable under normal conditions.

**Thermal decomposition / conditions to be avoided** Stable at environment temperature.

**10.3 Possibility of hazardous reactions** No dangerous reactions known.

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials** No further relevant information available.

**10.6 Hazardous decomposition products** No dangerous decomposition products known.

## SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 7)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 13.07.2023

Version number 1

Revision: 13.07.2023

**Trade name:** KLB-SYSTEM PU-BETON 4006 Component C

(Contd. of page 6)

**Skin corrosion/irritation** Causes skin irritation.

**Serious eye damage/irritation** Causes serious eye damage.

**Respiratory or skin sensitisation** May cause an allergic skin reaction.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure**

The product is classified as Specific Target Organ Toxicity after single exposure Category 3

May cause respiratory irritation.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**Additional toxicological information:**

**Repeated dose toxicity** Based on available data, the classification criteria are not met.

**11.2 Information on other hazards**

**Endocrine disrupting properties**

None of the ingredients is listed.

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Aquatic toxicity:** No further relevant information available.

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

**12.5 Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

**12.7 Other adverse effects**

**Additional ecological information:**

**General notes:** Must not reach sewage water or drainage ditch undiluted or unneutralised.


**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**Recommendation**



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

**European waste catalogue**

HP4 Irritant - skin irritation and eye damage

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

(Contd. on page 8)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 13.07.2023

Version number 1

Revision: 13.07.2023

**Trade name:** KLB-SYSTEM PU-BETON 4006 Component C

(Contd. of page 7)

HP13	Sensitising
------	-------------

**Uncleaned packaging:****Recommendation:** Disposal must be made according to official regulations.**SECTION 14: Transport information**

<b>14.1 UN number or ID number</b>	Unenforceable. Not classified as dangerous for transport.
<b>ADR, ADN, IMDG, IATA</b>	Void
<b>14.2 UN proper shipping name</b>	
<b>ADR, ADN, IMDG, IATA</b>	Void
<b>14.3 Transport hazard class(es)</b>	
<b>ADR, ADN, IMDG, IATA</b>	
<b>Class</b>	Void
<b>14.4 Packing group</b>	
<b>ADR, IMDG, IATA</b>	Void
<b>14.5 Environmental hazards:</b>	Not applicable.
<b>14.6 Special precautions for user</b>	Not applicable.
<b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
<b>UN "Model Regulation":</b>	Void

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as amended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as amended

The water-soluble chromium (Cr6+) content is no more than 2mg/kg (2 ppm/0.0002%) by weight of dry cement for the recommended consumption and recommended storage conditions (see packaging).

**Directive 2012/18/EU****Named dangerous substances - ANNEX I** The substance is not included in Annex I.**REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 47**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

**REGULATION (EU) 2019/1148****Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

(Contd. on page 9)

EN

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 13.07.2023

Version number 1

Revision: 13.07.2023

**Trade name:** KLB-SYSTEM PU-BETON 4006 Component C

(Contd. of page 8)

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

**National regulations:**

**Other regulations, limitations and prohibitive regulations**

**Substances of very high concern (SVHC) according to REACH, Article 57**

It doesn't contain substances of very high concern (SVHC).

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

**Training hints**

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

**Classification according to Regulation (EC) No 1272/2008**

Skin corrosion/irritation


Serious eye damage/irritation

Skin sensitisation

Specific target organ toxicity (single exposure)

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

**Department issuing SDS:**

**SUST**  SUSTCHEM S.A.  
**CHEM** REACH & Chemical Services Department  
CONSULTING A: 144, 3rd Septemvriou, GR 112 51 | Athens, Greece  
 T: +30 210 8252510 | F: +30 210 8252575  
 W: www.sustchem.gr | E: info@suschem.gr

**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

(Contd. on page 10)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 13.07.2023

Version number 1

Revision: 13.07.2023

**Trade name:** KLB-SYSTEM PU-BETON 4006 Component C

(Contd. of page 9)

vPvB: very Persistent and very Bioaccumulative  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Skin Sens. 1: Skin sensitisation – Category 1  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

EN